



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2018011001139656

Valid from: Dec.04,2023

Valid until: Dec.03,2028

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT** iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER** iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

**NAME AND LOCATION
OF THE FACTORY** iGuzzini Lighting (China) Co., Ltd.
F1&F2, Bld 2, No. 2758 Huan Cheng West Road, Fengxian District, Shanghai, P.R.CHINA

PRODUCT MODEL(S) Fixed Luminaire For LED Modules (Controlled Port Dimming, Ceiling Mounted / Wall Mounted, ClassIII,
IP66, Suitable For Direct Mounting On Normally Flammable Material)
See Appendix. 44-52Vdc

**STANDARDS AND
TECHNICAL REQUIREMENTS** GB/T 17743-2021;GB 7000.1-2015;GB 7000.201-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Dec.12,2018

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2018011001139656

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

Controlled Port Dimming (DMX 调光):

EF98 35.6W(18×1.8W/LED) , EF99 46.8W(24×1.8W/LED) , EG00 57.3W(30×1.8W/LED) ,
EG02 35.6W(18×1.8W/LED) , EG03 46.8W(24×1.8W/LED) , EG04 57.3W(30×1.8W/LED) ,
EG06 35.6W(18×1.8W/LED) , EG07 46.8W(24×1.8W/LED) , EG08 57.3W(30×1.8W/LED) ,
EG10 35.6W(18×1.8W/LED) , EG11 46.8W(24×1.8W/LED) , EG12 57.3W(30×1.8W/LED) ,
EG14 35.6W(18×1.8W/LED) , EG15 46.8W(24×1.8W/LED) , EG16 57.3W(30×1.8W/LED) ,
EG18 35.6W(18×1.8W/LED) , EG19 46.8W(24×1.8W/LED) , EG20 57.3W(30×1.8W/LED) ,
EG22 35.6W(18×1.8W/LED) , EG23 46.8W(24×1.8W/LED) , EG24 57.3W(30×1.8W/LED) ,
EG26 35.6W(18×1.8W/LED) , EG27 46.8W(24×1.8W/LED) , EG28 57.3W(30×1.8W/LED) ,
EG30 35.6W(18×1.8W/LED) , EG31 46.8W(24×1.8W/LED) , EG32 57.3W(30×1.8W/LED) ,
EG33 28.3W(18×1.4W/LED) , EG34 40W(27×1.4W/LED) , EG35 52.1W(36×1.4W/LED) ,
EG36 26.7W(16×1.5W/LED) , EG37 38.8W(24×1.5W/LED) , EG38 50W(32×1.5W/LED) ,
EG39 61.1W(40×1.5W/LED) , EG40 29.6W(18×1.4W/LED) , EG41 41.9W(27×1.4W/LED) ,
EG42 54.4W(36×1.4W/LED) , EG44 35.6W(18×1.8W/LED) , EG45 46.8W(24×1.8W/LED) ,
EG46 57.3W(30×1.8W/LED) , EG48 35.6W(18×1.8W/LED) , EG49 46.8W(24×1.8W/LED) ,
EG50 57.3W(30×1.8W/LED) , EG52 35.6W(18×1.8W/LED) , EG53 46.8W(24×1.8W/LED) ,
EG54 57.3W(30×1.8W/LED) , EG56 35.6W(18×1.8W/LED) , EG57 46.8W(24×1.8W/LED) ,
EG58 57.3W(30×1.8W/LED) , EG60 35.6W(18×1.8W/LED) , EG61 46.8W(24×1.8W/LED) ,
EG62 57.3W(30×1.8W/LED) , EG64 35.6W(18×1.8W/LED) , EG65 46.8W(24×1.8W/LED) ,
EG66 57.3W(30×1.8W/LED) , EG68 35.6W(18×1.8W/LED) , EG69 46.8W(24×1.8W/LED) ,
EG70 57.3W(30×1.8W/LED) , EG72 35.6W(18×1.8W/LED) , EG73 46.8W(24×1.8W/LED) ,
EG74 57.3W(30×1.8W/LED) , EG76 35.6W(18×1.8W/LED) , EG77 46.8W(24×1.8W/LED) ,
EG78 57.3W(30×1.8W/LED) , EG79 28.3W(18×1.4W/LED) , EG80 40W(27×1.4W/LED) ,
EG81 52.1W(36×1.4W/LED) , EG82 26.7W(16×1.5W/LED) , EG83 38.8W(24×1.5W/LED) ,
EG84 50W(32×1.5W/LED) , EG85 61.1W(40×1.5W/LED) , EG86 29.6W(18×1.4W/LED) ,
EG87 41.9W(27×1.4W/LED) , EG88 54.4W(36×1.4W/LED)

44-52VDC



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号: 2018011001139656

发证日期: 2023 年 12 月 04 日

有效期至: 2028 年 12 月 03 日

认证委托人名称 iGuzzini illuminazione S.p.A.

及注册地址 Via Mariano Guzzini, 37 62019 Recanati, 意大利

产品生产者名称 iGuzzini illuminazione S.p.A.

及注册地址 Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产企业名称 依古姿妮照明(中国)有限公司

及生产地址 上海市奉贤区环城西路 2758 号 2 幢 1、2 层

产品名称和系列、规格、型号 固定式灯具(控制端口调光, 吸顶式/壁式, III类, IP66, 适宜直接安装在普通可燃材料表面) 见附件。44-52Vdc

产品标准和 GB/T 17743-2021;GB 7000.1-2015;GB 7000.201-2008

技术要求

上述产品符合 CNCA-C10-01:2014 认证规则的要求, 特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2018 年 12 月 12 日

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2018011001139656

第 1 页 / 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

控制端口调光 (DMX 调光):

EF98 35.6W(18×1.8W/LED), EF99 46.8W(24×1.8W/LED), EG00 57.3W(30×1.8W/LED),
EG02 35.6W(18×1.8W/LED), EG03 46.8W(24×1.8W/LED), EG04 57.3W(30×1.8W/LED),
EG06 35.6W(18×1.8W/LED), EG07 46.8W(24×1.8W/LED), EG08 57.3W(30×1.8W/LED),
EG10 35.6W(18×1.8W/LED), EG11 46.8W(24×1.8W/LED), EG12 57.3W(30×1.8W/LED),
EG14 35.6W(18×1.8W/LED), EG15 46.8W(24×1.8W/LED), EG16 57.3W(30×1.8W/LED),
EG18 35.6W(18×1.8W/LED), EG19 46.8W(24×1.8W/LED), EG20 57.3W(30×1.8W/LED),
EG22 35.6W(18×1.8W/LED), EG23 46.8W(24×1.8W/LED), EG24 57.3W(30×1.8W/LED),
EG26 35.6W(18×1.8W/LED), EG27 46.8W(24×1.8W/LED), EG28 57.3W(30×1.8W/LED),
EG30 35.6W(18×1.8W/LED), EG31 46.8W(24×1.8W/LED), EG32 57.3W(30×1.8W/LED),
EG33 28.3W(18×1.4W/LED), EG34 40W(27×1.4W/LED), EG35 52.1W(36×1.4W/LED),
EG36 26.7W(16×1.5W/LED), EG37 38.8W(24×1.5W/LED), EG38 50W(32×1.5W/LED),
EG39 61.1W(40×1.5W/LED), EG40 29.6W(18×1.4W/LED), EG41 41.9W(27×1.4W/LED),
EG42 54.4W(36×1.4W/LED), EG44 35.6W(18×1.8W/LED), EG45 46.8W(24×1.8W/LED),
EG46 57.3W(30×1.8W/LED), EG48 35.6W(18×1.8W/LED), EG49 46.8W(24×1.8W/LED),
EG50 57.3W(30×1.8W/LED), EG52 35.6W(18×1.8W/LED), EG53 46.8W(24×1.8W/LED),
EG54 57.3W(30×1.8W/LED), EG56 35.6W(18×1.8W/LED), EG57 46.8W(24×1.8W/LED),
EG58 57.3W(30×1.8W/LED), EG60 35.6W(18×1.8W/LED), EG61 46.8W(24×1.8W/LED),
EG62 57.3W(30×1.8W/LED), EG64 35.6W(18×1.8W/LED), EG65 46.8W(24×1.8W/LED),
EG66 57.3W(30×1.8W/LED), EG68 35.6W(18×1.8W/LED), EG69 46.8W(24×1.8W/LED),
EG70 57.3W(30×1.8W/LED), EG72 35.6W(18×1.8W/LED), EG73 46.8W(24×1.8W/LED),
EG74 57.3W(30×1.8W/LED), EG76 35.6W(18×1.8W/LED), EG77 46.8W(24×1.8W/LED),
EG78 57.3W(30×1.8W/LED), EG79 28.3W(18×1.4W/LED), EG80 40W(27×1.4W/LED),
EG81 52.1W(36×1.4W/LED), EG82 26.7W(16×1.5W/LED), EG83 38.8W(24×1.5W/LED),
EG84 50W(32×1.5W/LED), EG85 61.1W(40×1.5W/LED), EG86 29.6W(18×1.4W/LED),
EG87 41.9W(27×1.4W/LED), EG88 54.4W(36×1.4W/LED)。

44-52VDC



中国质量认证中心