

Product configuration: EN17

EN17: Ø597mm - warm white - Opal - DALI



Product code

EN17: Ø597mm - warm white - Opal - DALI

Technical description

Technical description

Round luminaire for wall-mounted installation. Up/down emission designed to use warm white LED lamps. The optical assembly consists of an extruded painted aluminium frame, a satin finish methacrylate diffuser screen for general light emission and a sheet metal rear closing base. The driver is housed in the upper part of the product.

Installation

Wall-mounted.

Colour

White (01) | Black (04)

Weight (Kg)

6.5

Mounting

mounting
wall surface

Wiring

Product complete with electronic components. The electrical cables used are made of a "halogen free" material. (This means that the cables do not contain any halogen materials that in the event of a fire do not emit toxic or corrosive gases and only a small quantity of opaque fumes).

Complies with EN60598-1 and pertinent regulations



Technical data

Im system:	5143	Colour temperature [K]:	3000
W system:	43.1	MacAdam Step:	3
Im source:	6950	Life Time LED 1:	50,000h - L90 - B10 (Ta 25°C)
W source:	39	Lamp code:	LED
Luminous efficiency (lm/W, real value):	119.3	Number of lamps for optical assembly:	1
Im in emergency mode:	-	ZVEI Code:	LED
Total light flux at or above an angle of 90° [Lm]:	210	Number of optical assemblies:	1
Light Output Ratio (L.O.R.) [%]:	74	Control:	DALI-2
CRI (minimum):	80		

Polar

