



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2021011001414098

Valid from: Aug.18,2023

Valid until: Aug.17,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT
iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER
iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND LOCATION OF THE FACTORY
iGuzzini Lighting (China) Co., Ltd.
F1&F2, Bld 2, No. 2758 Huan Cheng West Road, Fengxian District, Shanghai, P.R.CHINA

PRODUCT MODEL(S)
Ground Recessed Luminaires For LED Modules (Controlled Port Dimming, D.C. Supplied Electronic Controlgear For LED Modules, ClassIII, IP65/IP67, Suitable For Direct Mounting On Normally Flammable Material)
See Appendix. 44-52VDC , Luminaire can be for looping-in connection. Static load 20kN , Rated maximum surface temperature T : 40°C, H not exceeding 5mm, Intended usage: In restricted accessible areas (e.g. pedestrians and pedal cycles only).

STANDARDS AND TECHNICAL REQUIREMENTS
GB/T 17743-2021;GB 7000.1-2015;GB 7000.213-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Aug.26,2021

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021011001414098

page 1 of 7

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

DALI 调光:

EX30 21.5W(2×(6×1.4W/LED)), EX31 30.7W(3×(6×1.4W/LED)),
EX32 39.2W(4×(6×1.4W/LED)), EX33 47.7W(5×(6×1.4W/LED)),
EX34 21.5W(2×(6×1.4W/LED)), EX35 30.7W(3×(6×1.4W/LED)),
EX36 39.2W(4×(6×1.4W/LED)), EX37 47.7W(5×(6×1.4W/LED)),
EX38 21.5W(2×(6×1.4W/LED)), EX39 30.7W(3×(6×1.4W/LED)),
EX40 39.2W(4×(6×1.4W/LED)), EX41 47.7W(5×(6×1.4W/LED)),
EX42 21.5W(2×(6×1.4W/LED)), EX43 30.7W(3×(6×1.4W/LED)),
EX44 39.2W(4×(6×1.4W/LED)), EX45 47.7W(5×(6×1.4W/LED)),
EX46 21.5W(2×(6×1.4W/LED)), EX47 30.7W(3×(6×1.4W/LED)),
EX48 39.2W(4×(6×1.4W/LED)), EX49 47.7W(5×(6×1.4W/LED)),
EX50 21.5W(2×(6×1.4W/LED)), EX51 30.7W(3×(6×1.4W/LED)),
EX52 39.2W(4×(6×1.4W/LED)), EX53 47.7W(5×(6×1.4W/LED)),
EX54 21.5W(2×(6×1.4W/LED)), EX55 30.7W(3×(6×1.4W/LED)),
EX56 39.2W(4×(6×1.4W/LED)), EX57 47.7W(5×(6×1.4W/LED)),
EX58 21.5W(2×(6×1.4W/LED)), EX59 30.7W(3×(6×1.4W/LED)),
EX60 39.2W(4×(6×1.4W/LED)), EX61 47.7W(5×(6×1.4W/LED)),
EX62 21.5W(2×(6×1.4W/LED)), EX63 30.7W(3×(6×1.4W/LED)),
EX64 39.2W(4×(6×1.4W/LED)), EX65 47.7W(5×(6×1.4W/LED)),
EX66 24.5W(2×(9×1.1W/LED)), EX67 34.3W(3×(9×1.1W/LED)),
EX68 44W(4×(9×1.1W/LED)), EX69 22.8W(2×(8×1.2W/LED)),
EX70 32.5W(3×(8×1.2W/LED)), EX71 41.3W(4×(8×1.2W/LED)),
EX72 49.6W(5×(8×1.2W/LED)), EX73 22.8W(2×(8×1.2W/LED)),
EX74 32.5W(3×(8×1.2W/LED)), EX75 41.3W(4×(8×1.2W/LED)),
EX76 49.6W(5×(8×1.2W/LED)), EX77 21.5W(2×(6×1.4W/LED)),
EX78 30.7W(3×(6×1.4W/LED)), EX79 39.2W(4×(6×1.4W/LED)),
EX80 47.7W(5×(6×1.4W/LED)), EX81 21.5W(2×(6×1.4W/LED)),
EX82 30.7W(3×(6×1.4W/LED)), EX83 39.2W(4×(6×1.4W/LED)),
EX84 47.7W(5×(6×1.4W/LED)), EX85 21.5W(2×(6×1.4W/LED)),
EX86 30.7W(3×(6×1.4W/LED)), EX87 39.2W(4×(6×1.4W/LED)),



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021011001414098

page 2 of 7

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

EX88 47.7W(5×(6×1.4W/LED)),

DMX 调光:

EX89 21.5W(2×(6×1.4W/LED)), EX90 30.7W(3×(6×1.4W/LED)),
EX91 39.2W(4×(6×1.4W/LED)), EX92 47.7W(5×(6×1.4W/LED)),
EX93 21.5W(2×(6×1.4W/LED)), EX94 30.7W(3×(6×1.4W/LED)),
EX95 39.2W(4×(6×1.4W/LED)), EX96 47.7W(5×(6×1.4W/LED)),
EX97 21.5W(2×(6×1.4W/LED)), EX98 30.7W(3×(6×1.4W/LED)),
EX99 39.2W(4×(6×1.4W/LED)), EY00 47.7W(5×(6×1.4W/LED)),
EY01 21.5W(2×(6×1.4W/LED)), EY02 30.7W(3×(6×1.4W/LED)),
EY03 39.2W(4×(6×1.4W/LED)), EY04 47.7W(5×(6×1.4W/LED)),
EY05 21.5W(2×(6×1.4W/LED)), EY06 30.7W(3×(6×1.4W/LED)),
EY07 39.2W(4×(6×1.4W/LED)), EY08 47.7W(5×(6×1.4W/LED)),
EY09 21.5W(2×(6×1.4W/LED)), EY10 30.7W(3×(6×1.4W/LED)),
EY11 39.2W(4×(6×1.4W/LED)), EY12 47.7W(5×(6×1.4W/LED)),
EY13 21.5W(2×(6×1.4W/LED)), EY14 30.7W(3×(6×1.4W/LED)),
EY15 39.2W(4×(6×1.4W/LED)), EY16 47.7W(5×(6×1.4W/LED)),
EY17 21.5W(2×(6×1.4W/LED)), EY18 30.7W(3×(6×1.4W/LED)),
EY19 39.2W(4×(6×1.4W/LED)), EY20 47.7W(5×(6×1.4W/LED)),
EY21 21.5W(2×(6×1.4W/LED)), EY22 30.7W(3×(6×1.4W/LED)),
EY23 39.2W(4×(6×1.4W/LED)), EY24 47.7W(5×(6×1.4W/LED)),
EY25 24.5W(2×(9×1.1W/LED)), EY26 34.3W(3×(9×1.1W/LED)),
EY27 44W(4×(9×1.1W/LED)), EY28 22.8W(2×(8×1.2W/LED)),
EY29 32.5W(3×(8×1.2W/LED)), EY30 41.3W(4×(8×1.2W/LED)),
EY31 49.6W(5×(8×1.2W/LED)), EY32 22.8W(2×(8×1.2W/LED)),
EY33 32.5W(3×(8×1.2W/LED)), EY34 41.3W(4×(8×1.2W/LED)),
EY35 49.6W(5×(8×1.2W/LED)), EY36 21.5W(2×(6×1.4W/LED)),
EY37 30.7W(3×(6×1.4W/LED)), EY38 39.2W(4×(6×1.4W/LED)),
EY39 47.7W(5×(6×1.4W/LED)), EY40 21.5W(2×(6×1.4W/LED)),
EY41 30.7W(3×(6×1.4W/LED)), EY42 39.2W(4×(6×1.4W/LED)),



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021011001414098

page 3 of 7

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

EY43 47.7W(5×(6×1.4W/LED)), EY44 21.5W(2×(6×1.4W/LED)),
EY45 30.7W(3×(6×1.4W/LED)), EY46 39.2W(4×(6×1.4W/LED)),
EY47 47.7W(5×(6×1.4W/LED)), UA72 21.5W(2×(6×1.4W/LED)),
UA73 30.7W(3×(6×1.4W/LED)), UA74 39.2W(4×(6×1.4W/LED)),
UA75 47.7W(5×(6×1.4W/LED)), UA76 21.5W(2×(6×1.4W/LED)),
UA77 30.7W(3×(6×1.4W/LED)), UA78 39.2W(4×(6×1.4W/LED)),
UA79 47.7W(5×(6×1.4W/LED)), UA80 21.5W(2×(6×1.4W/LED)),
UA81 30.7W(3×(6×1.4W/LED)), UA82 39.2W(4×(6×1.4W/LED)),
UA83 47.7W(5×(6×1.4W/LED)), UA84 21.5W(2×(6×1.4W/LED)),
UA85 30.7W(3×(6×1.4W/LED)), UA86 39.2W(4×(6×1.4W/LED)),
UA87 47.7W(5×(6×1.4W/LED)), UA88 21.5W(2×(6×1.4W/LED)),
UA89 30.7W(3×(6×1.4W/LED)), UA90 39.2W(4×(6×1.4W/LED)),
UA91 47.7W(5×(6×1.4W/LED)), UA92 21.5W(2×(6×1.4W/LED)),
UA93 30.7W(3×(6×1.4W/LED)), UA94 39.2W(4×(6×1.4W/LED)),
UA95 47.7W(5×(6×1.4W/LED)), UA96 21.5W(2×(6×1.4W/LED)),
UA97 30.7W(3×(6×1.4W/LED)), UA98 39.2W(4×(6×1.4W/LED)),
UA99 47.7W(5×(6×1.4W/LED)), UB00 21.5W(2×(6×1.4W/LED)),
UB01 30.7W(3×(6×1.4W/LED)), UB02 39.2W(4×(6×1.4W/LED)),
UB03 47.7W(5×(6×1.4W/LED)), UB04 21.5W(2×(6×1.4W/LED)),
UB05 30.7W(3×(6×1.4W/LED)), UB06 39.2W(4×(6×1.4W/LED)),
UB07 47.7W(5×(6×1.4W/LED)), UB08 24.5W(2×(9×1.1W/LED)),
UB09 34.3W(3×(9×1.1W/LED)), UB10 44W(4×(9×1.1W/LED)),
UB11 22.8W(2×(8×1.2W/LED)), UB12 32.5W(3×(8×1.2W/LED)),
UB13 41.3W(4×(8×1.2W/LED)), UB14 49.6W(5×(8×1.2W/LED)),
UB15 22.8W(2×(8×1.2W/LED)), UB16 32.5W(3×(8×1.2W/LED)),
UB17 41.3W(4×(8×1.2W/LED)), UB18 49.6W(5×(8×1.2W/LED)),
UB19 21.5W(2×(6×1.4W/LED)), UB20 30.7W(3×(6×1.4W/LED)),
UB21 39.2W(4×(6×1.4W/LED)), UB22 47.7W(5×(6×1.4W/LED)),
UB23 21.5W(2×(6×1.4W/LED)), UB24 30.7W(3×(6×1.4W/LED)),
UB25 39.2W(4×(6×1.4W/LED)), UB26 47.7W(5×(6×1.4W/LED)),



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021011001414098

page 4 of 7

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

UB27 21.5W($2 \times (6 \times 1.4\text{W/LED})$), UB28 30.7W($3 \times (6 \times 1.4\text{W/LED})$),
UB29 39.2W($4 \times (6 \times 1.4\text{W/LED})$), UB30 47.7W($5 \times (6 \times 1.4\text{W/LED})$).

44-52VDC。

本灯具额定负载 20kN，额定最大表面温度：40℃，安装后突出地面高度不超过 5mm；
预期的使用区域：在限制触及的区域，例如：仅步行和脚踏车区域。
通过式布线最大电流 9A。



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021011001414098

page 5 of 7

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

灯具可用于环路连接，连接灯具的最大数量（支）：

型号	灯具可用于环路连接，连接灯具的最大数量（支）
EX30, EX34, EX38, EX42, EX46, EX50, EX54, EX58, EX62, EX66, EX69, EX73, EX77, EX81, EX85, EX89, EX93, EX97, EY01, EY05, EY09, EY13, EY17, EY21, EY25, EY28, EY32, EY36, EY40, EY44, UA72, UA76, UA80, UA84, UA88, UA92, UA96, UB00, UB04, UB08, UB11, UB15, UB19, UB23, UB27.	22
EX31, EX35, EX39, EX43, EX47, EX51, EX55, EX59, EX63, EX67, EX70, EX74, EX78, EX82, EX86, EX90, EX94, EX98, EY02, EY06, EY10, EY14, EY18, EY22, EY26, EY29, EY33, EY37, EY41, EY45, UA73, UA77, UA81, UA85, UA89, UA93, UA96, UB01, UB05, UB09, UB12, UB16, UB20, UB24, UB28.	15
EX32, EX36, EX40, EX44, EX48, EX52, EX56, EX60, EX64, EX68, EX71, EX75, EX79, EX83, EX87, EX91, EX95, EX99, EY03, EY07, EY11, EY15, EY19, EY23, EY27, EY30, EY34, EY38, EY42, EY46, UA74, UA78, UA82, UA86, UA90, UA94, UA97, UB02, UB06, UB10, UB13, UB17, UB21, UB25, UB29.	12



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021011001414098

page 6 of 7

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

EX33, EX37, EX41, EX45, EX49, EX53, EX57, EX61, EX65, EX72, EX76, EX80, EX84, EX88, EX92, EX96, EY00, EY04, EY08, EY12, EY16, EY20, EY24, EY31, EY35, EY39, EY43, EY47, UA75, UA79, UA83, UA87, UA91, UA95, UA98, UB03, UB07, UB14, UB18, UB22, UB26, UB30.	10
---	----



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021011001414098

page 7 of 7

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

蓝光危害等级:

型号	蓝光危害等级
EX30 EX31 EX32 EX33 EX34 EX35 EX36 EX37 EX38 EX39 EX40 EX41 EX42 EX43 EX44 EX45 EX46 EX47 EX48 EX49 EX50 EX51 EX52 EX53 EX54 EX55 EX56 EX57 EX58 EX59 EX60 EX61 EX62 EX63 EX64 EX65 EX77 EX78 EX79 EX80 EX81 EX82 EX83 EX84 EX85 EX86 EX87 EX88 EX89 EX90 EX91 EX92 EX93 EX94 EX95 EX96 EX97 EX98 EX99 EY00 EY01 EY02 EY03 EY04 EY05 EY06 EY07 EY08 EY09 EY10 EY11 EY12 EY13 EY14 EY15 EY16 EY17 EY18 EY19 EY20 EY21 EY22 EY23 EY24 EY36 EY37 EY38 EY39 EY40 EY41 EY42 EY43 EY44 EY45 EY46 EY47 UA72 UA73 UA74 UA75 UA76 UA77 UA78 UA79 UA80 UA81 UA82 UA83 UA84 UA85 UA86 UA87 UA88 UA89 UA90 UA91 UA92 UA93 UA94 UA95 UA96 UA97 UA98 UA99 UB00 UB01 UB02 UB03 UB04 UB05 UB06 UB07 UB19 UB20 UB21 UB22 UB23 UB24 UB25 UB26 UB27 UB28 UB29 UB30	RG1
EX66 EX67 EX68 EX69 EX70 EX71 EX72 EX73 EX74 EX75 EX76 EY25 EY26 EY27 UB08 UB09 UB10 EY28 EY29 EY30 EY31 EY32 EY33 EY34 EY35 UB11 UB12 UB13 UB14 UB15 UB16 UB17 UB18	RG2



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号: 2021011001414098

发证日期: 2023 年 08 月 18 日

有效期至: 2028 年 08 月 17 日

认证委托人名称 iGuzzini illuminazione S.p.A.

及注册地址 Via Mariano Guzzini, 37 62019 Recanati, 意大利

产品生产者名称 iGuzzini illuminazione S.p.A.

及注册地址 Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产企业名称 依古姿妮照明(中国)有限公司

及生产地址 上海市奉贤区环城西路 2758 号 2 幢 1、2 层

产品名称和系列、规格、型号 地面嵌入式灯具(控制端口调光, LED 模块用直流电子控制装置, III 类, IP65/IP67, 适宜直接安装在普通可燃材料表面)

见附件。44-52VDC, 灯具能用于环路连接。本灯具额定负载 20kN, 额定最大表面温度: 40°C, 安装后突出地面高度不超过 5mm; 预期的使用区域: 在限制触及的区域, 例如: 仅步行和脚踏车区域。

产品标准和 GB/T 17743-2021; GB 7000.1-2015; GB 7000.213-2008

技术要求

上述产品符合 CNCA-C10-01:2014 认证规则的要求, 特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2021 年 08 月 26 日

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2021011001414098

第 1 页 共 7 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

DALI 调光:

EX30 21.5W(2×(6×1.4W/LED)), EX31 30.7W(3×(6×1.4W/LED)),
EX32 39.2W(4×(6×1.4W/LED)), EX33 47.7W(5×(6×1.4W/LED)),
EX34 21.5W(2×(6×1.4W/LED)), EX35 30.7W(3×(6×1.4W/LED)),
EX36 39.2W(4×(6×1.4W/LED)), EX37 47.7W(5×(6×1.4W/LED)),
EX38 21.5W(2×(6×1.4W/LED)), EX39 30.7W(3×(6×1.4W/LED)),
EX40 39.2W(4×(6×1.4W/LED)), EX41 47.7W(5×(6×1.4W/LED)),
EX42 21.5W(2×(6×1.4W/LED)), EX43 30.7W(3×(6×1.4W/LED)),
EX44 39.2W(4×(6×1.4W/LED)), EX45 47.7W(5×(6×1.4W/LED)),
EX46 21.5W(2×(6×1.4W/LED)), EX47 30.7W(3×(6×1.4W/LED)),
EX48 39.2W(4×(6×1.4W/LED)), EX49 47.7W(5×(6×1.4W/LED)),
EX50 21.5W(2×(6×1.4W/LED)), EX51 30.7W(3×(6×1.4W/LED)),
EX52 39.2W(4×(6×1.4W/LED)), EX53 47.7W(5×(6×1.4W/LED)),
EX54 21.5W(2×(6×1.4W/LED)), EX55 30.7W(3×(6×1.4W/LED)),
EX56 39.2W(4×(6×1.4W/LED)), EX57 47.7W(5×(6×1.4W/LED)),
EX58 21.5W(2×(6×1.4W/LED)), EX59 30.7W(3×(6×1.4W/LED)),
EX60 39.2W(4×(6×1.4W/LED)), EX61 47.7W(5×(6×1.4W/LED)),
EX62 21.5W(2×(6×1.4W/LED)), EX63 30.7W(3×(6×1.4W/LED)),
EX64 39.2W(4×(6×1.4W/LED)), EX65 47.7W(5×(6×1.4W/LED)),
EX66 24.5W(2×(9×1.1W/LED)), EX67 34.3W(3×(9×1.1W/LED)),
EX68 44W(4×(9×1.1W/LED)), EX69 22.8W(2×(8×1.2W/LED)),
EX70 32.5W(3×(8×1.2W/LED)), EX71 41.3W(4×(8×1.2W/LED)),
EX72 49.6W(5×(8×1.2W/LED)), EX73 22.8W(2×(8×1.2W/LED)),
EX74 32.5W(3×(8×1.2W/LED)), EX75 41.3W(4×(8×1.2W/LED)),
EX76 49.6W(5×(8×1.2W/LED)), EX77 21.5W(2×(6×1.4W/LED)),
EX78 30.7W(3×(6×1.4W/LED)), EX79 39.2W(4×(6×1.4W/LED)),
EX80 47.7W(5×(6×1.4W/LED)), EX81 21.5W(2×(6×1.4W/LED)),
EX82 30.7W(3×(6×1.4W/LED)), EX83 39.2W(4×(6×1.4W/LED)),
EX84 47.7W(5×(6×1.4W/LED)), EX85 21.5W(2×(6×1.4W/LED)),
EX86 30.7W(3×(6×1.4W/LED)), EX87 39.2W(4×(6×1.4W/LED)),
EX88 47.7W(5×(6×1.4W/LED)),



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2021011001414098

第 2 页 共 7 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

DMX 调光:

EX89 21.5W(2×(6×1.4W/LED)), EX90 30.7W(3×(6×1.4W/LED)),
EX91 39.2W(4×(6×1.4W/LED)), EX92 47.7W(5×(6×1.4W/LED)),
EX93 21.5W(2×(6×1.4W/LED)), EX94 30.7W(3×(6×1.4W/LED)),
EX95 39.2W(4×(6×1.4W/LED)), EX96 47.7W(5×(6×1.4W/LED)),
EX97 21.5W(2×(6×1.4W/LED)), EX98 30.7W(3×(6×1.4W/LED)),
EX99 39.2W(4×(6×1.4W/LED)), EY00 47.7W(5×(6×1.4W/LED)),
EY01 21.5W(2×(6×1.4W/LED)), EY02 30.7W(3×(6×1.4W/LED)),
EY03 39.2W(4×(6×1.4W/LED)), EY04 47.7W(5×(6×1.4W/LED)),
EY05 21.5W(2×(6×1.4W/LED)), EY06 30.7W(3×(6×1.4W/LED)),
EY07 39.2W(4×(6×1.4W/LED)), EY08 47.7W(5×(6×1.4W/LED)),
EY09 21.5W(2×(6×1.4W/LED)), EY10 30.7W(3×(6×1.4W/LED)),
EY11 39.2W(4×(6×1.4W/LED)), EY12 47.7W(5×(6×1.4W/LED)),
EY13 21.5W(2×(6×1.4W/LED)), EY14 30.7W(3×(6×1.4W/LED)),
EY15 39.2W(4×(6×1.4W/LED)), EY16 47.7W(5×(6×1.4W/LED)),
EY17 21.5W(2×(6×1.4W/LED)), EY18 30.7W(3×(6×1.4W/LED)),
EY19 39.2W(4×(6×1.4W/LED)), EY20 47.7W(5×(6×1.4W/LED)),
EY21 21.5W(2×(6×1.4W/LED)), EY22 30.7W(3×(6×1.4W/LED)),
EY23 39.2W(4×(6×1.4W/LED)), EY24 47.7W(5×(6×1.4W/LED)),
EY25 24.5W(2×(9×1.1W/LED)), EY26 34.3W(3×(9×1.1W/LED)),
EY27 44W(4×(9×1.1W/LED)), EY28 22.8W(2×(8×1.2W/LED)),
EY29 32.5W(3×(8×1.2W/LED)), EY30 41.3W(4×(8×1.2W/LED)),
EY31 49.6W(5×(8×1.2W/LED)), EY32 22.8W(2×(8×1.2W/LED)),
EY33 32.5W(3×(8×1.2W/LED)), EY34 41.3W(4×(8×1.2W/LED)),
EY35 49.6W(5×(8×1.2W/LED)), EY36 21.5W(2×(6×1.4W/LED)),
EY37 30.7W(3×(6×1.4W/LED)), EY38 39.2W(4×(6×1.4W/LED)),
EY39 47.7W(5×(6×1.4W/LED)), EY40 21.5W(2×(6×1.4W/LED)),
EY41 30.7W(3×(6×1.4W/LED)), EY42 39.2W(4×(6×1.4W/LED)),
EY43 47.7W(5×(6×1.4W/LED)), EY44 21.5W(2×(6×1.4W/LED)),
EY45 30.7W(3×(6×1.4W/LED)), EY46 39.2W(4×(6×1.4W/LED)),



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2021011001414098

第 3 页 共 7 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

EY47 47.7W(5×(6×1.4W/LED)), UA72 21.5W(2×(6×1.4W/LED)),
UA73 30.7W(3×(6×1.4W/LED)), UA74 39.2W(4×(6×1.4W/LED)),
UA75 47.7W(5×(6×1.4W/LED)), UA76 21.5W(2×(6×1.4W/LED)),
UA77 30.7W(3×(6×1.4W/LED)), UA78 39.2W(4×(6×1.4W/LED)),
UA79 47.7W(5×(6×1.4W/LED)), UA80 21.5W(2×(6×1.4W/LED)),
UA81 30.7W(3×(6×1.4W/LED)), UA82 39.2W(4×(6×1.4W/LED)),
UA83 47.7W(5×(6×1.4W/LED)), UA84 21.5W(2×(6×1.4W/LED)),
UA85 30.7W(3×(6×1.4W/LED)), UA86 39.2W(4×(6×1.4W/LED)),
UA87 47.7W(5×(6×1.4W/LED)), UA88 21.5W(2×(6×1.4W/LED)),
UA89 30.7W(3×(6×1.4W/LED)), UA90 39.2W(4×(6×1.4W/LED)),
UA91 47.7W(5×(6×1.4W/LED)), UA92 21.5W(2×(6×1.4W/LED)),
UA93 30.7W(3×(6×1.4W/LED)), UA94 39.2W(4×(6×1.4W/LED)),
UA95 47.7W(5×(6×1.4W/LED)), UA96 21.5W(2×(6×1.4W/LED)),
UA97 30.7W(3×(6×1.4W/LED)), UA98 39.2W(4×(6×1.4W/LED)),
UA99 47.7W(5×(6×1.4W/LED)), UB00 21.5W(2×(6×1.4W/LED)),
UB01 30.7W(3×(6×1.4W/LED)), UB02 39.2W(4×(6×1.4W/LED)),
UB03 47.7W(5×(6×1.4W/LED)), UB04 21.5W(2×(6×1.4W/LED)),
UB05 30.7W(3×(6×1.4W/LED)), UB06 39.2W(4×(6×1.4W/LED)),
UB07 47.7W(5×(6×1.4W/LED)), UB08 24.5W(2×(9×1.1W/LED)),
UB09 34.3W(3×(9×1.1W/LED)), UB10 44W(4×(9×1.1W/LED)),
UB11 22.8W(2×(8×1.2W/LED)), UB12 32.5W(3×(8×1.2W/LED)),
UB13 41.3W(4×(8×1.2W/LED)), UB14 49.6W(5×(8×1.2W/LED)),
UB15 22.8W(2×(8×1.2W/LED)), UB16 32.5W(3×(8×1.2W/LED)),
UB17 41.3W(4×(8×1.2W/LED)), UB18 49.6W(5×(8×1.2W/LED)),
UB19 21.5W(2×(6×1.4W/LED)), UB20 30.7W(3×(6×1.4W/LED)),
UB21 39.2W(4×(6×1.4W/LED)), UB22 47.7W(5×(6×1.4W/LED)),
UB23 21.5W(2×(6×1.4W/LED)), UB24 30.7W(3×(6×1.4W/LED)),
UB25 39.2W(4×(6×1.4W/LED)), UB26 47.7W(5×(6×1.4W/LED)),
UB27 21.5W(2×(6×1.4W/LED)), UB28 30.7W(3×(6×1.4W/LED)),
UB29 39.2W(4×(6×1.4W/LED)), UB30 47.7W(5×(6×1.4W/LED)).



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2021011001414098

第 4 页 共 7 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

44-52VDC。

本灯具额定负载 20kN，额定最大表面温度：40℃，安装后突出地面高度不超过 5mm；
预期的使用区域：在限制触及的区域，例如：仅步行和脚踏车区域。
通过式布线最大电流 9A。



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2021011001414098

第 5 页 共 7 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

灯具可用于环路连接，连接灯具的最大数量（支）：

型号	灯具可用于环路连接，连接灯具的最大数量（支）
EX30, EX34, EX38, EX42, EX46, EX50, EX54, EX58, EX62, EX66, EX69, EX73, EX77, EX81, EX85, EX89, EX93, EX97, EY01, EY05, EY09, EY13, EY17, EY21, EY25, EY28, EY32, EY36, EY40, EY44, UA72, UA76, UA80, UA84, UA88, UA92, UA96, UB00, UB04, UB08, UB11, UB15, UB19, UB23, UB27.	22
EX31, EX35, EX39, EX43, EX47, EX51, EX55, EX59, EX63, EX67, EX70, EX74, EX78, EX82, EX86, EX90, EX94, EX98, EY02, EY06, EY10, EY14, EY18, EY22, EY26, EY29, EY33, EY37, EY41, EY45, UA73, UA77, UA81, UA85, UA89, UA93, UA96, UB01, UB05, UB09, UB12, UB16, UB20, UB24, UB28.	15
EX32, EX36, EX40, EX44, EX48, EX52, EX56, EX60, EX64, EX68, EX71, EX75, EX79, EX83, EX87, EX91, EX95, EX99, EY03, EY07, EY11, EY15, EY19, EY23, EY27, EY30, EY34, EY38, EY42, EY46, UA74, UA78, UA82, UA86, UA90, UA94, UA97, UB02, UB06, UB10, UB13, UB17, UB21, UB25, UB29.	12



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2021011001414098

第 6 页 共 7 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

EX33, EX37, EX41, EX45, EX49, EX53, EX57, EX61, EX65, EX72, EX76, EX80, EX84, EX88, EX92, EX96, EY00, EY04, EY08, EY12, EY16, EY20, EY24, EY31, EY35, EY39, EY43, EY47, UA75, UA79, UA83, UA87, UA91, UA95, UA98, UB03, UB07, UB14, UB18, UB22, UB26, UB30.	10
---	----



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2021011001414098

第 7 页 共 7 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

蓝光危害等级：

型号	蓝光危害等级
EX30 EX31 EX32 EX33 EX34 EX35 EX36 EX37 EX38 EX39 EX40 EX41 EX42 EX43 EX44 EX45 EX46 EX47 EX48 EX49 EX50 EX51 EX52 EX53 EX54 EX55 EX56 EX57 EX58 EX59 EX60 EX61 EX62 EX63 EX64 EX65 EX77 EX78 EX79 EX80 EX81 EX82 EX83 EX84 EX85 EX86 EX87 EX88 EX89 EX90 EX91 EX92 EX93 EX94 EX95 EX96 EX97 EX98 EX99 EY00 EY01 EY02 EY03 EY04 EY05 EY06 EY07 EY08 EY09 EY10 EY11 EY12 EY13 EY14 EY15 EY16 EY17 EY18 EY19 EY20 EY21 EY22 EY23 EY24 EY36 EY37 EY38 EY39 EY40 EY41 EY42 EY43 EY44 EY45 EY46 EY47 UA72 UA73 UA74 UA75 UA76 UA77 UA78 UA79 UA80 UA81 UA82 UA83 UA84 UA85 UA86 UA87 UA88 UA89 UA90 UA91 UA92 UA93 UA94 UA95 UA96 UA97 UA98 UA99 UB00 UB01 UB02 UB03 UB04 UB05 UB06 UB07 UB19 UB20 UB21 UB22 UB23 UB24 UB25 UB26 UB27 UB28 UB29 UB30	RG1
EX66 EX67 EX68 EX69 EX70 EX71 EX72 EX73 EX74 EX75 EX76 EY25 EY26 EY27 UB08 UB09 UB10 EY28 EY29 EY30 EY31 EY32 EY33 EY34 EY35 UB11 UB12 UB13 UB14 UB15 UB16 UB17 UB18	RG2



中国质量认证中心