



Polardiagramm



Isolux



UGR-Diagramm

Corrected UGR values (at 1200 lm bare lamp luminous flux)											
Reflect.:											
ceiling	walls	work pl.	viewed crosswise			viewed endwise					
x	y										
2H	2H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	3H	17.0	17.8	18.0	18.8	20.1	7.2	7.9	8.1	8.9	10.2
	4H	18.0	18.7	18.9	19.7	21.0	7.6	8.4	8.6	9.3	10.7
	6H	19.6	20.3	20.6	21.3	22.6	8.6	9.3	9.6	10.3	11.6
	8H	20.5	21.1	21.4	22.1	23.4	9.0	9.7	10.0	10.7	12.0
	12H	21.2	21.9	22.2	22.9	24.2	9.2	9.8	10.2	10.8	12.2
4H	2H	13.6	14.4	14.6	15.4	16.7	6.6	7.3	7.6	8.3	9.6
	3H	17.2	17.8	18.2	18.9	20.2	9.2	9.9	10.2	10.9	12.2
	4H	19.1	19.6	20.1	20.7	22.0	10.8	11.3	11.7	12.3	13.7
	6H	20.9	21.5	22.0	22.5	23.9	12.3	12.8	13.3	13.8	15.2
	8H	21.9	22.3	22.9	23.4	24.7	13.0	13.4	14.0	14.5	15.8
	12H	22.7	23.2	23.8	24.2	25.6	13.5	13.9	14.5	15.0	16.4
8H	4H	19.5	19.9	20.5	21.0	22.4	11.9	12.4	12.9	13.4	14.8
	6H	21.6	22.0	22.7	23.1	24.5	13.8	14.3	14.9	15.3	16.7
	8H	22.7	23.1	23.8	24.1	25.5	14.9	15.3	15.9	16.3	17.7
	12H	23.6	24.2	24.9	25.2	26.6	15.9	16.2	17.0	17.3	18.7
12H	4H	19.5	19.9	20.5	21.0	22.4	12.1	12.6	13.2	13.6	15.0
	6H	21.7	22.1	22.8	23.2	24.6	14.2	14.5	15.2	15.6	17.0
	8H	22.9	23.3	24.0	24.3	25.7	15.4	15.7	16.4	16.7	18.1
Variations with the observer position at spacing:											
S =	1.0H	0.1 / -0.1					0.2 / -0.2				
	1.5H	0.2 / -0.2					0.3 / -0.4				
	2.0H	0.3 / -0.3					0.5 / -0.8				