


Polar



Isolux




Diagrama UGR

Corrected UGR values (at 3050 lm bare lamp luminous flux)											
Reflect.:											
ceil/cav	0.70	0.70	0.50	0.50	0.30	0.70	0.70	0.50	0.50	0.30	
walls	0.50	0.30	0.50	0.30	0.30	0.50	0.30	0.50	0.30	0.30	
work pl.	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	
Room dim											
x			viewed crosswise					viewed endwise			
y											
2H	2H	12.4	14.4	12.8	14.7	15.0	12.4	14.4	12.8	14.7	15.0
	3H	12.9	14.2	13.3	14.5	14.8	12.7	14.0	13.1	14.3	14.6
	4H	13.0	14.0	13.4	14.3	14.6	12.8	13.8	13.2	14.1	14.4
	6H	13.0	13.7	13.4	14.0	14.4	12.8	13.5	13.2	13.8	14.2
	8H	12.9	13.7	13.3	14.1	14.4	12.7	13.5	13.1	13.9	14.2
	12H	12.8	13.7	13.2	14.1	14.5	12.6	13.6	13.0	13.9	14.3
4H	2H	12.8	13.8	13.2	14.1	14.4	13.0	14.0	13.4	14.3	14.6
	3H	13.3	14.2	13.7	14.6	14.9	13.3	14.2	13.7	14.5	14.9
	4H	13.2	14.4	13.6	14.8	15.2	13.2	14.4	13.6	14.8	15.2
	6H	12.9	14.6	13.4	15.1	15.6	13.0	14.7	13.4	15.1	15.6
	8H	12.8	14.7	13.3	15.1	15.6	12.9	14.7	13.3	15.1	15.6
	12H	12.7	14.6	13.2	15.0	15.6	12.8	14.6	13.3	15.1	15.6
8H	4H	12.9	14.7	13.3	15.1	15.6	12.8	14.7	13.3	15.1	15.6
	6H	12.8	14.4	13.4	14.9	15.4	12.8	14.4	13.3	14.9	15.4
	8H	12.9	14.1	13.4	14.6	15.1	12.9	14.1	13.4	14.6	15.1
	12H	13.0	13.7	13.6	14.2	14.8	13.0	13.7	13.6	14.2	14.8
12H	4H	12.8	14.6	13.3	15.1	15.6	12.7	14.6	13.2	15.0	15.6
	6H	12.9	14.1	13.4	14.6	15.1	12.9	14.1	13.4	14.6	15.1
	8H	13.0	13.7	13.6	14.2	14.8	13.0	13.7	13.6	14.2	14.8
Variations with the observer position at spacing:											
S =	1.0H		1.6	/	-0.9			1.6	/	-0.9	
	1.5H		3.1	/	-1.8			3.1	/	-1.8	
	2.0H		4.6	/	-3.2			4.6	/	-3.2	